

Adaptive Systems

Inman Harvey
Informatics

Lecture 11 Evolutionary Robotics Part 1

Next few lectures ...

... will be looking at Evolutionary Robotics.

- ✦ Motivations. Techniques. "Classical" examples.
- ✦ Real robots vs. simulations. Transferring controllers to reality. Minimal simulations.
- ✦ Minimal cognitive behaviour.
- ✦ Hot topics: GasNets, plastic controllers, body morphology, fast oscillations, spiking neurons, development, adaptation to radical perturbations

Inman Harvey with
Xabier Barandiaran

Spring 2010

This lecture ...

- ✦ Basic principles and motivations.
- ✦ Fundamental issues in evolutionary robotics.
- ✦ Early steps: Floreano and Mondada
- ✦ Early steps: Randy Beer
- ✦ The Sussex approach
- ✦ ER and other disciplines / open questions

Inman Harvey with
Xabier Barandiaran

Spring 2010

Evolutionary Robotics

- ✦ The use of evolutionary computing techniques for developing autonomous adaptive robots (control system and properties of sensors, motors, and body).
- ✦ **Engineering:** Alternative to traditional design techniques
- ✦ **Science:** Less prejudiced way of exploring wide class of mechanisms for generating adaptive behaviour. Synthesize and analyse.

Inman Harvey with
Xabier Barandiaran

Spring 2010

Basic idea

Population of robot genotypes



Inman Harvey with
Xabier Barandiaran

Spring 2010

Motivations

- ✦ **The Design Problem.** Hand design of systems involving many interactions between many constituent parts is very hard. Probably too hard. Yet systems with these properties appear to be necessary to generate interesting adaptive behaviour in autonomous agents (and possibly have other engineering potential). Some kind of automation is required. Artificial evolution is one way of doing it.

Inman Harvey with
Xabier Barandiaran

Spring 2010

Motivations

- ✦ **Fewer preconceptions.** Evolutionary methods allow us to start with as few preconceptions as possible. The designer evaluates appropriate behaviour rather than specifying how it is realised. The result is often surprising precisely because of the preconceptions of the designer which would have gone into the design itself in other methodologies.

Inman Harvey with
Xabier Barandiaran

Spring 2010

Motivations

- ✦ **Demonstrations of mechanisms.** Evolutionary robotics can provide new demonstrations of mechanisms underlying adaptive behaviour. Analysis is important. Mechanisms are often likely to be unintuitive from a traditional standpoint. It can also explore what known biological mechanisms might be doing when we close the sensorimotor loop in a whole, situated agent.
- ✦ Distinction between behaviour and mechanism can be the subject of *enquiry* rather than *assumption*.

Inman Harvey with
Xabier Barandiaran

Spring 2010

Fundamental research issues 1

- ✦ Genotype to phenotype mappings
- ✦ Analysis of evolutionary processes
- ✦ Analysis of evolved robots
- ✦ Adaptation to changing environments
- ✦ Co-evolution of control architectures and body plans
- ✦ Interactions of evolution, development, learning

Inman Harvey with
Xabier Barandiaran

Spring 2010

Fundamental research issues 2


- ✦ Evolvable hardware in robotics
- ✦ Simulation-reality transfer
- ✦ Comparison of evolutionary robotics methodologies
- ✦ Scaling to complex behaviours
- ✦ Nature of control systems building blocks
- ✦ Fitness function design (The art of ...)

Inman Harvey with
Xabier Barandiaran

Spring 2010

Floreano and Mondada

- ✦ EPFL, Lausanne, Artificial evolution using a real Khepera robot (1995).




Inman Harvey with
Xabier Barandiaran

Spring 2010

Floreano and Mondada

- ✦ $Fitness = \sum V (1 - \sqrt{\Delta v})(1 - i)$
- ✦ $V =$ Avg. rotation speed of wheels, $\Delta v = |v1 - v2|$,
 $i =$ reading of most active sensor ... High speed, straight lines, avoiding obstacles



Inman Harvey with
Xabier Barandiaran


Spring 2010

Floreano and Mondada

- ✦ Evolve weights and thresholds in a fixed architecture network using straightforward encoding
 - ✦ Standard GA, PopSize 80, 100 generations, 39 mins per generation. Good results after ~50 generations
1. Download genotype
 2. Run network controller, recording fitness
 3. Five seconds of random movement
 4. Goto 1.

Inman Harvey with
Xabier Barandiaran

Spring 2010





Inman Harvey with
Xabier Barandiaran

Spring 2010

Battery recharge

- ✦ Fitness: = $\sum V(1 - i)$; stop run if battery is flat



Inman Harvey with
Xabier Barandiaran

Spring 2010

Battery recharge

- ✦ Simulated battery runs out linearly in 20 secs.
- ✦ Robot must step on black area to recharge
- ✦ Robot wanders around until level is close to zero (depends on distance) then speeds towards recharging area.



Inman Harvey with
Xabier Barandiaran

Spring 2010

Randy Beer


- ✦ Indiana University: Evolution of chemotaxis, legged locomotion, sequential behaviour; mostly in simulations
 - ✦ Continuous-time recurrent neural networks (CTRNNs, aka. dynamical neural networks) to generate adaptive behaviour:
- $$\tau_i \frac{dy_i}{dt} = -y_i + \sum_j w_{ji} z_j + I_i; \quad z_j = \frac{1}{1 + \exp[-(y_j + b_j)]}$$
- ✦ Use evolution to find weights, thresholds, time constants in fully connected architectures. Typical popsize 500, simple bit encoding, moving to real-valued encoding in later experiments

Inman Harvey with
Xabier Barandiaran

Spring 2010

Simulated "Cockroach"

- ✦ Six legs. Legs generate forces which move the body
- ✦ Each leg has 3 effectors: up or down, clockwise torque and counter-clockwise torque.
- ✦ Each leg neuron has a neural network, each network is identical to the others.
- ✦ Maximise the forward distance moved in a fixed time



Inman Harvey with
Xabier Barandiaran

Spring 2010

Advice on CTRNNs


- ✦ **Weight range**
 - Neurons are bi-stable with self connections greater than 4. Best choose weights to be in range $[-n, n]$ with $n > 4$.
- ✦ **Time constants, integration method**
 - Allow slow time constants if task requires it. Roughly up to the length of the whole task.
 - Maximum integration step $<$ minimum $\tau/2$
 - Choose linear or exponential scaling
- ✦ **Sigmoid function**
 - Generate a large (1000) array of floats and fill it with the values of the sigmoid function.
 - Use this array. Don't calculate the function every time.
- ✦ **Centre-crossing seeding.**
 - Initial population. Make bias $b_i = -\sum w_{ji}/2$

Inman Harvey with
Xabier Barandarian

Spring 2010

Coevolution

- ✦ May lead to "arms races". Often thought of as a possible route towards open-ended complexity. In fact, it may also lead to equilibria or cyclic dynamics.
- ✦ Example: pursuit-evasion. Nolfi and Floreano (1998)





✦ Fitness is no clear measure of complex behaviour

Inman Harvey with
Xabier Barandarian

Spring 2010

Coevolution




Inman Harvey with
Xabier Barandarian

Spring 2010

The Sussex approach

- ✦ Largest concentration of researchers in Evolutionary Robotics
- ✦ Harvey, Husbands, Cliff 1992 on - simulations and reality - gantry robot
- ✦ *Centre for Computational Neuroscience and Robotics (CCNR)*. Created 1996. Joint venture BIOLS + COGS. Strong link with neuroscientists (T. Collett, M. O'Shea).



Inman Harvey with
Xabier Barandarian

Spring 2010

Sussex: some topics

- ✦ Minimal simulations (Jakobi, Husbands)
- ✦ GasNets (Husbands, Phillipides T. Smith)
- ✦ Evolvable Hardware (Thompson)
- ✦ Evolutionary dynamics (Harvey, Barnett, T. Smith)
- ✦ Insect-like navigation (Graham, Dale, L. Smith)
- ✦ Theoretical issues (Harvey, Husbands, Seth)
- ✦ Social behaviour (Quinn, Di Paolo)
- ✦ Learning, adaptation (Bird, Tuci, Di Paolo)
- ✦ STDP, spiking neurons (Di Paolo, Bush)
- ✦ Active vision, arm movement (Buehrmann)
- ✦ Powered passive dynamic walkers (Vaughan)

Inman Harvey with
Xabier Barandarian

Spring 2010

Sussex: some prejudices

- ✦ Explore (e.g., unusual bio-inspired mechanisms)
- ✦ Dynamical systems approach
- ✦ Complex behaviours are not the only interesting result ("scaling-up" often a side issue)
- ✦ Minimum designer interference
- ✦ Analyse (as much as possible/desirable)
- ✦ Avoid trivialized, vacuous connectionism

Inman Harvey with
Xabier Barandarian

Spring 2010

The use of GAs

- ✦ Some work in ER aims at obtaining and studying robots that do something interesting
- ✦ Using a GA in this case is only a technique
- ✦ Using other search algorithms is equally valid (hybrid algorithms, etc.)
- ✦ But sometimes the use of an evolutionary algorithm is more significant and adds important value to the result (eg., Looking at problems related to evolutionary biology).

Inman Harvey with
Xabier Barandiaran

Spring 2010

ER and other disciplines

- ✦ From the point of view of AI and cognitive science, ER attempts to build increasingly complex autonomous robots.
- ✦ From the point of view of other fields, such as neuroscience, ER can be a useful exploratory tool for understanding mechanisms. Eg. How will a network of spiking neurons function in a integrated robot? This can be a useful line of research whilst the behaviours explored remain simple.

Inman Harvey with
Xabier Barandiaran

Spring 2010

Summary

- ✦ Human design: Complexity is often handled using the *Divide and Conquer* approach. Sub-problems may be easier to manage but must be relatively independent from each other.
- ✦ Cognition seems to demand highly integrated systems, made out of many components and in complex relations with the environment.
- ✦ Classical AI and Behaviour-Based Robotics, still using the *Divide and Conquer* approach.

Inman Harvey with
Xabier Barandiaran

Spring 2010

Summary

- ✦ ER aims at evolving *whole systems*. Evolution tends to find highly integrated, distributed, non-modular and surprising solutions to the problem of generating adaptive behaviour. Hence, an interesting tool from the point of view of engineering and biology.
- ✦ ER - one role is for *existence proofs*. Demonstrate that *Behaviour B* is indeed possible with *Minimal Material M*. This does not prove that animals or humans 'do it that way', but an *existence proof* demolishes the argument '*it is not possible*'.

Inman Harvey with
Xabier Barandiaran

Spring 2010

Open questions

- ✦ Evolved structures are difficult to analyse. Must perform a variety of tests at different levels (behaviour, analytical, etc.) to approach an explanation. Still easier than analysing a real animal but no guarantee that it will stay that way.
- ✦ Scaling problem again + time constraints. How far can you go using evolution? Open question.

Inman Harvey with
Xabier Barandiaran

Spring 2010