

ASSOCIATIVE LEARNING ACHIEVED WITHOUT CONSCIOUS PERCEPTION

Ryan Scott^{1,2}

Jason Samaha³

Zoltan Dienes^{1,2}

¹School of Psychology, University of Sussex

²Sackler Centre for Consciousness Science


³San Francisco State University, USA

Implicit Learning vs. Unconscious Perception

Implicit Learning vs. Unconscious Perception

Implicit learning


- That mechanism that results in the acquisition of knowledge we are not aware of possessing
- E.g. in AGL we might acquire knowledge of associations between letters without awareness
- We may then express that knowledge in grammaticality judgements without awareness



Implicit Learning vs. Unconscious Perception


Implicit learning

- That mechanism that results in the acquisition of knowledge we are not aware of possessing
- E.g. in AGL we might acquire knowledge of associations between letters without awareness
- We may then express that knowledge in grammaticality judgements without awareness



Unconscious Perception

- Perception without awareness of having perceived
- For example, subliminally presented words which influence subsequent stem completion
- Does not demonstrate associative learning but simply the priming of existing representations



Important Test of Unconscious Learning

Important Test of Unconscious Learning

Can implicit learning occur without conscious perception?

- The essence of implicit learning is building associations
- So we are asking if associations can be acquired not simply without awareness that we are doing so
- But also without awareness of perceiving the stimuli

Important Test of Unconscious Learning

Can implicit learning occur without conscious perception?

- The essence of implicit learning is building associations
- So we are asking if associations can be acquired not simply without awareness that we are doing so
- But also without awareness of perceiving the stimuli

Some evidence that this can be achieved

- Henke et al., 2003 – Subliminal Face-Profession Pairs
- Pessiglione et al., 2008 – Subliminal Instrumental Conditioning
- Reber & Henke, 2011 – Subliminal Word Pairs
- Atas et al., 2012 – Subliminal Sequence Learning

Important Test of Unconscious Learning

Can implicit learning occur without conscious perception?

- The essence of implicit learning is building associations
- So we are asking if associations can be acquired not simply without awareness that we are doing so
- But also without awareness of perceiving the stimuli


Some evidence that this can be achieved

- Henke et al., 2003 – Subliminal Face-Profession Pairs
- Pessiglione et al., 2008 – Subliminal Instrumental Conditioning
- Reber & Henke, 2011 – Subliminal Word Pairs
- Atas et al., 2012 – Subliminal Sequence Learning


So why bother?

Seeking a Test of Global Workspace Theory

Seeking a Test of Global Workspace Theory




Seeking a Test of Global Workspace Theory



- An implication - learning dependent on the broadcast to a wider network should not occur without conscious awareness
- For example, we should not form unconscious associations between stimuli in different perceptual modalities
- Unconscious 'cross-modal binding' should not be possible

Seeking a Test of Global Workspace Theory



- An implication - learning dependent on the broadcast to a wider network should not occur without conscious awareness
- For example, we should not form unconscious associations between stimuli in different perceptual modalities
- Unconscious 'cross-modal binding' should not be possible

This is the goal but we're not quite there yet!

Experiment 1: Auditory Associations

Experiment 1: Auditory Associations

Rationale

- Auditory paradigm as auditory buffer should facilitate associative learning
- Wanted an indirect test using RT as this had proved more sensitive
- Wanted an ongoing test of awareness

Experiment 1: Auditory Associations


Rationale

- Auditory paradigm as auditory buffer should facilitate associative learning
- Wanted an indirect test using RT as this had proved more sensitive
- Wanted an ongoing test of awareness

Paradigm Outline

- Find auditory threshold in right ear
(Report the non-number word)

1, 4, 26...green, 13...



Experiment 1: Auditory Associations


Rationale

- Auditory paradigm as auditory buffer should facilitate associative learning
- Wanted an indirect test using RT as this had proved more sensitive
- Wanted an ongoing test of awareness


Paradigm Outline

- Find auditory threshold in right ear
(Report the non-number word)

1, 4, 26...green, 13...



- Introduce attentional task in left ear
(Press left for 1, and right for 2)



1,1,2,1,2,2...

Experiment 1: Auditory Associations


Rationale

- Auditory paradigm as auditory buffer should facilitate associative learning
- Wanted an indirect test using RT as this had proved more sensitive
- Wanted an ongoing test of awareness


Paradigm Outline

- Find auditory threshold in right ear
(Report the non-number word)
- Introduce attentional task in left ear
(Press left for 1, and right for 2)
- Train the classification of professions
(Press left for uncreative, right creative)


1, 4, 26...green, 13...



1,1,2,1,2,2...



*Pianist
Composer
Accountant
...*



*Pianist
Composer
Accountant
...*

Experiment 1: Auditory Associations

Experiment 1: Auditory Associations

Test Trials – three stages to each trial, 32 trials in all


Experiment 1: Auditory Associations

Test Trials – three stages to each trial, 32 trials in all

- 1) Two name-profession pairs presented below threshold (one creative profession, one uncreative profession) while doing the attentional task

10, 4, mike pianist, 21...

5, 2, paul banker, 7 ...



1, 1, 2, 1, 2, 2 ...

2, 2, 2, 1, 2, 1 ...


Experiment 1: Auditory Associations

Test Trials – three stages to each trial, 32 trials in all

- 1) Two name-profession pairs presented below threshold (one creative profession, one uncreative profession) while doing the attentional task

10, 4, mike pianist, 21...

5, 2, paul banker, 7 ...



1, 1, 2, 1, 2, 2 ...

2, 2, 2, 1, 2, 1 ...

- 2) Report any non-number words that were heard


Experiment 1: Auditory Associations

Test Trials – three stages to each trial, 32 trials in all

- 1) Two name-profession pairs presented below threshold (one creative profession, one uncreative profession) while doing the attentional task

10, 4, mike pianist, 21...

5, 2, paul banker, 7 ...




1, 1, 2, 1, 2, 2 ...

2, 2, 2, 1, 2, 1 ...

- 2) Report any non-number words that were heard

- 3) Timed classification of profession – primed by a name


mike
Pianist



mike
Pianist

OR

mike
Banker



mike
Banker

Same as subliminal

Different to subliminal


Experiment 1: Auditory Associations

Test Trials – three stages to each trial, 32 trials in all

- 1) Two name-profession pairs presented below threshold (one creative profession, one uncreative profession) while doing the attentional task

10, 4, mike pianist, 21...

5, 2, paul banker, 7 ...




1, 1, 2, 1, 2, 2 ...

2, 2, 2, 1, 2, 1 ...

- 2) Report any non-number words that were heard
- 3) Timed classification of profession – primed by a name


mike
Pianist



mike
Pianist

OR

mike
Banker



mike
Banker

Same as subliminal

Different to subliminal

Delay (~200 ms) after prime predicts *inhibitory* priming (Eimer, 2006)

Experiment 1: Results

Experiment 1: Results

N = 60

Exclusions and pre-processing


- *All trials where word heard (M=.15)*
- Any participant making more errors than 2SD above the mean (N = 1)
- Non-normal distribution corrected with reciprocal transformation

Experiment 1: Results

N = 60

Exclusions and pre-processing

- *All trials where word heard (M=.15)*
- Any participant making more errors than 2SD above the mean (N = 1)
- Non-normal distribution corrected with reciprocal transformation





Experiment 1: Results

N = 60

Exclusions and pre-processing

- All trials where word heard ($M=.15$)
- Any participant making more errors than 2SD above the mean ($N = 1$)
- Non-normal distribution corrected with reciprocal transformation





Experiment 1: Results

N = 60

Exclusions and pre-processing

- All trials where word heard ($M=.15$)
- Any participant making more errors than 2SD above the mean ($N = 1$)
- Non-normal distribution corrected with reciprocal transformation



After so many attempts replication was essential!

Experiment 2: Visual Associations

Experiment 2: Visual Associations

Rationale

- Visual equivalent to the auditory paradigm
- Employed back masking of low contrast words


Experiment 2: Visual Associations

Rationale

- Visual equivalent to the auditory paradigm
- Employed back masking of low contrast words

Paradigm Outline

- Find visual threshold
(Report any word seen)




Experiment 2: Visual Associations

Rationale

- Visual equivalent to the auditory paradigm
- Employed back masking of low contrast words

Paradigm Outline

- Find visual threshold
(Report any word seen)
- Introduce attentional task)
(Press left arrow or right arrow as seen)




Experiment 2: Visual Associations

Rationale

- Visual equivalent to the auditory paradigm
- Employed back masking of low contrast words

Paradigm Outline

- Find visual threshold
(Report any word seen)
- Introduce attentional task)
(Press left arrow or right arrow as seen)
- Train the classification of professions
(Press left for uncreative, right creative)



Pianist <
Banker >
Composer <

...

Experiment 1: Auditory Associations

Experiment 1: Auditory Associations

Test Trials – three stages to each trial, 32 trials in all

Experiment 1: Auditory Associations

Test Trials – three stages to each trial, 32 trials in all

- 1) Two name-profession pairs presented below threshold (one creative profession, one uncreative profession) while doing the attentional task
- 2) Report any words that were *seen*
- 3) Timed classification of profession – primed by a name

<i>Mike</i>		<i>Mike</i>
<i>(150 ms delay)</i>		<i>(150 ms delay)</i>
<i>Pianist</i>	OR	<i>Banker</i>
<i>Same as subliminal</i>		<i>Different to subliminal</i>

The delay and gradual fade up of target designed to create *inhibitory* priming

Experiment 2: Results

Experiment 2: Results

N = 40

Exclusions and pre-processing


- *All trials where word seen (M= 2.7)*
- Any participant making more errors than 2SD above the mean (N = 2)
- No transformation required

Experiment 2: Results

N = 40

Exclusions and pre-processing

- *All trials where word seen (M= 2.7)*
- Any participant making more errors than 2SD above the mean (N = 2)
- No transformation required




Experiment 2: Results

N = 40

Exclusions and pre-processing

- All trials where word seen ($M = 2.7$)
- Any participant making more errors than 2SD above the mean ($N = 2$)
- No transformation required



CONCLUSIONS AND LIMITATIONS

- **Growing evidence that unconscious associative learning is possible within a single modality**

CONCLUSIONS AND LIMITATIONS

- Growing evidence that unconscious associative learning is possible within a single modality
- **We can now move to test whether unconscious cross-modal binding is achievable – a potential test of GWT**

CONCLUSIONS AND LIMITATIONS

- Growing evidence that unconscious associative learning is possible within a single modality
- We can now move to test whether unconscious cross-modal binding is achievable – a potential test of GWT
- **Potential limitation of the current paradigm is that visual presentation (reading) automatically activates phonetic representations ... so arguably it will not be the strongest test of cross modal capability.**

THANK YOU

Collaborators



Zoltan Dienes



Jason Samaha

Funding and Support

